



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	'FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/441,627	11/16/1999	BRIAN E. WILLIAMS	S324-J	4715
75	590 02/03/2004	•	EXAMINER	
BRUCE A JAGGER			ZIMMERMAN, JOHN J	
P O BOX 29000 GLENDALE, CA 912099000		ART UNIT	PAPER NUMBER	
·			1775	18
		DATE MAILED: 02/03/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

UNITED STATES DE RTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

			AS
APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
		,,,,,,,,,,,,,,	

EXAMINER

ART UNIT

PAPER

20040202

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

LETTER RESTARTING RESPONSE PERIOD

A translation of Japanese Publication 63-2873 was not included in the last correspondence (Office Action, mailed 1/14/04) as indicated in paragraph 9 of the correspondence. A copy of the translation is attached to this letter.

A shortened statutory period for reply to the final action (mailed 1/14/04) is reset to expire THREE MONTHS from the mailing date of this letter. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Form PTO-892 attached.

John J. Zimmerman Primary Examiner Art Unit: 1775